

	SE S-AWC	SE LIMITED EDITION S-AWC	SE TOURING S-AWC	GT S-AWC
SAFETY				
DUAL FRONT AIRBAGS	STD	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (1ST AND 2ND ROW)	STD	STD	STD	STD
FRONT-SEAT MOUNTED SIDE-IMPACT AIRBAGS	STD	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD	STD
ANTI-THEFT SECURITY ALARM SYSTEM	STD	STD	STD	STD

LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD
LED DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD
LANE DEPARTURE WARNING (LDW)	-	-	-	STD

FORWARD COLLISION MITIGATION (FCM) WITH PEDESTRIAN WARNING	-	-	-	STD
ADAPTIVE CRUISE CONTROL (ACC)	-	-	-	STD
BLIND SPOT WARNING (BSW)	STD	STD	STD	STD
REAR CROSS TRAFFIC ALERT (RCTA)	STD	STD	STD	STD

PERFORMANCE

2.0 L DOHC MIVEC 4 CYLINDER ENGINE	STD	STD	STD	STD
1-SPEED TRANSMISSION	STD	STD	STD	STD
SUPER ALL-WHEEL CONTROL (S-AWC)	STD	STD	STD	STD
PLUG-IN HYBRID ELECTRIC VEHICLE SYSTEM	STD	STD	STD	STD
FRONT MACPHERSON STRUT AND REAR MULTI-LINK SUSPENSION	STD	STD	STD	STD
FRONT AND REAR STABILIZER BAR	STD	STD	STD	STD
VENTILATED FRONT DISC AND SOLID REAR DISC BRAKES	STD	STD	STD	STD
ELECTRIC PARKING BRAKE	STD	STD	STD	STD

VARIABLE ASSISTED POWER RACK AND PINION STEERING	STD	STD	STD	STD
BATTERY WARMING SYSTEM	STD	STD	STD	STD
DC QUICK CHARGER	STD	STD	STD	STD
PHEV TWIN MOTOR SYSTEM	STD	STD	STD	STD

EXTERIOR

18" ALLOY WHEELS	STD	STD	STD	STD
P225/55 R18 ALL-SEASON TIRES	STD	STD	STD	STD
TIRE REPAIR KIT	STD	STD	STD	STD
FRONT AND REAR SILVER SKID PLATE STYLING	STD	STD	STD	STD
SILVER GRILLE	STD	STD	STD	STD
BLACK FRONT BUMPER CENTRE	STD	STD	STD	STD
CHARGER LID LOCKING SYSTEM	STD	STD	STD	STD
AUTO-ON/OFF HALOGEN HEADLAMPS	STD	STD	-	-
AUTO-ON/OFF LED HEADLAMPS	-	-	STD	STD
AUTO LED HIGH BEAMS	-	-	-	STD

FRONT FOG LAMPS WITH CHROME ACCENT	STD	STD	-	-
LED FRONT FOG LAMPS WITH CHROME ACCENT	-	-	STD	STD
LED DAYTIME RUNNING LAMPS WITH REAR COMBINATION LAMPS	STD	STD	STD	STD
HEATED AND POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED LED INDICATOR LAMPS	STD	STD	STD	STD
BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES	STD	STD	STD	STD
CHROME BELTLINE ACCENT	STD	STD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD	STD	STD
ROOF MOUNT ANTENNA (SHARK FIN TYPE)	STD	STD	STD	STD
SILVER PAINTED ROOF RAILS	STD	STD	STD	STD
POWER GLASS SUNROOF WITH SUNSHADE	-	STD	STD	STD
REAR WINDOW DEFROSTER WITH TIMER AND INTERMITTENT WIPER WITH WASHER	STD	STD	STD	STD

REAR PRIVACY GLASS	STD	STD	STD	STD
LED REAR COMBINATION LAMPS	STD	STD	STD	STD
WINDSHIELD WIPER DE-ICER	STD	STD	STD	STD
REAR SPOILER	STD	STD	STD	STD
PARKING SENSOR ECU KIT	ACC	ACC	ACC	ACC
PARKING SENSOR FRONT SENSOR KIT	ACC	ACC	ACC	ACC
PARKING SENSOR REAR SENSOR KIT	ACC	ACC	ACC	ACC
FRONT CORNER AIR DAMS	ACC	ACC	ACC	ACC
SIDE AIR DAMS	ACC	ACC	ACC	ACC
REAR CORNER AIR DAMS	ACC	ACC	ACC	ACC
MUDGUARDS, FRONT	ACC	ACC	ACC	ACC
MUDGUARDS, REAR	ACC	ACC	ACC	ACC
CHROME DOOR HANDLE COVERS (WITH KOS)	ACC	ACC	ACC	ACC
CHROME SIDE MIRROR COVER	ACC	ACC	ACC	ACC
ENGINE HOOD EMBLEM	ACC	ACC	ACC	ACC
REAR BUMPER PROTECTION PLATE	ACC	ACC	ACC	ACC

TRAILER HITCH HARNESS	ACC	ACC	ACC	ACC
TOW HITCH	ACC	ACC	ACC	ACC
PULSE MEDIUM ROOF BOX 614	ACC	ACC	ACC	ACC
FORCE XT ROOF BOX LARGE	ACC	ACC	ACC	ACC
FORCE XT ROOF BOX EXTRA LARGE	ACC	ACC	ACC	ACC
EVO WINGBAR 53"	ACC	ACC	ACC	ACC
THULE COMPASS KAYAK AND SUP CARRIER	ACC	ACC	ACC	ACC
CAMBER HITCH MOUNTED 4 BIKE CARRIER	ACC	ACC	ACC	ACC
CAMBER HITCH MOUNTED 2 BIKE CARRIER	ACC	ACC	ACC	ACC
PRORIDE XT BIKE CARRIER ROOF MOUNT	ACC	ACC	ACC	ACC
THULE SNOWPAK L SKI SNOWBOARD CARRIER	ACC	ACC	ACC	ACC

INTERIOR

HEATED FRONT SEATS	STD	STD	STD	STD
POWER DRIVER'S SEAT	STD	STD	STD	STD

4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD	STD	-
POWER FRONT PASSENGER SEAT	-	-	STD	STD
60/40 SPLIT FOLDING 2ND ROW SEAT WITH RECLINE	STD	STD	STD	STD
FRONT SEATBACK POCKET (PASSENGER SIDE)	STD	STD	STD	STD
FRONT SEATBACK POCKET (DRIVER SIDE)	-	-	STD	STD
ARTIFICIAL SUEDE- APPOINTED SEATS	STD	STD	-	-
LEATHER- APPOINTED SEATS	-	-	STD	STD
DRIVER AND FRONT PASSENGER SUN VISORS WITH ILLUMINATED VANITY MIRRORS	STD	STD	STD	STD
FRONT MAP LAMPS	STD	STD	STD	STD
AUTO-DIMMING REARVIEW MIRROR WITH HOMELINK	-	STD	STD	-
AUTO-DIMMING REARVIEW MIRROR WITH HOMELINK AND COMPASS	-	-	-	STD

CABIN AND CARGO LAMP	STD	STD	STD	STD
RETRACTABLE ASSIST GRIPS (4)	STD	STD	STD	STD
COAT HANGER (AT REAR ASSIST GRIP)	STD	STD	STD	STD
12V ACCESSORY OUTLET (2)	STD	STD	STD	STD
FLOOR CENTRE CONSOLE WITH LED ILLUMINATION, LEATHERETTE ARMREST AND CUP HOLDERS	STD	STD	STD	STD
REAR CENTRE ARMREST WITH CUP HOLDERS	STD	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (4)	STD	STD	STD	STD
CARGO TIE-DOWN UTILITY HOOKS	STD	STD	STD	STD
GLOVE BOX WITH ILLUMINATION	STD	STD	STD	STD
CARGO COVER	STD	STD	STD	STD
LEATHER-WRAPPED STEERING WHEEL	STD	STD	STD	STD
SOFT-TOUCH UPPER INSTRUMENTAL PANEL	STD	STD	STD	STD
GLOSS BLACK SHIFTER PANEL WITH SILVER SURROUND	STD	STD	STD	STD

CHROME PLATED INTERIOR DOOR HANDLES	STD	STD	STD	STD
FRONT FOOTWELLS WITH ILLUMINATION	STD	STD	STD	STD
FLOOR MATS	STD	STD	STD	STD
1500-WATT POWER INVERTER	STD	STD	STD	STD
DUAL-ZONE AUTOMATIC CLIMATE CONTROL	STD	STD	STD	STD
REAR AIR OUTLETS (LOCATED AT REAR OF CENTRE CONSOLE)	STD	STD	STD	STD
MICRON AIR FILTRATION	STD	STD	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD	STD	STD
BLUETOOTH® HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL	STD	STD	STD	STD
POWER DOOR LOCKS WITH FAST-KEY AND PUSH BUTTON START	STD	STD	STD	STD
POWER WINDOWS WITH AUTO-UP AND DOWN FUNCTION (ALL FOR DRIVER)	STD	STD	STD	STD

ILLUMINATED WINDOW SWITCHES	STD	STD	STD	STD
CRUISE CONTROL (NON-ADAPTIVE)	STD	STD	STD	-
7.0" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTO™ AND APPLE CARPLAY	STD	STD	STD	STD
6 SPEAKERS	STD	STD	STD	-
710-WATT ROCKFORD FOSGATE® PUNCH® SYSTEM WITH 9 SPEAKERS INCLUDING 10" SUBWOOFER	-	-	-	STD
SIRIUSXM® SATELLITE RADIO WITH 3 MONTHS COMPLIMENTARY SERVICE	STD	STD	STD	STD
REARVIEW CAMERA	STD	STD	STD	STD
MULTI VIEW CAMERA SYSTEM (MVCS)	-	-	-	STD
STEERING WHEEL-MOUNTED CRUISE AND AUDIO CONTROLS	STD	STD	STD	STD
HEATED STEERING WHEEL	-	STD	STD	STD
LED FLOOR ILLUMINATION	ACC	ACC	ACC	ACC
SHIFT ILLUMINATION	ACC	ACC	ACC	ACC

COMFORT & CONVENIENCE

TILT AND TELESCOPING STEERING WHEEL	STD	STD	STD	STD
--	-----	-----	-----	-----

HIGH-CONTRAST SPEEDOMETER AND TACHOMETER	STD	STD	STD	STD
---	-----	-----	-----	-----

MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD
---	-----	-----	-----	-----

SEATBELT REMINDER LAMP	STD	STD	STD	STD
-------------------------------	-----	-----	-----	-----

REMOTE FUEL LID RELEASE	STD	STD	STD	STD
--------------------------------	-----	-----	-----	-----

POWER LIFTGATE	-	STD	STD	STD
-----------------------	---	-----	-----	-----

WASHER FLUID LEVEL WARNING LAMP	STD	STD	STD	STD
--	-----	-----	-----	-----

EV REMOTE SYSTEM	STD	STD	STD	STD
-------------------------	-----	-----	-----	-----

EXTERIOR COLOURS

QUARTZ BROWN	STD	STD	STD	STD
---------------------	-----	-----	-----	-----

RALLY RED	STD	STD	STD	STD
TITANIUM GREY	STD	STD	STD	STD
STERLING SILVER	STD	STD	STD	STD
PEARL WHITE	OPT	OPT	OPT	OPT
RUBY BLACK PEARL	OPT	OPT	OPT	OPT
LABRADOR BLACK	OPT	OPT	OPT	OPT

INTERIOR COLOURS

BLACK FABRIC	STD	STD	-	-
GREY LEATHER	-	-	STD	STD
BLACK LEATHER	-	-	STD	STD

ENGINE

DRIVETRAIN	S-AWC	S-AWC	S-AWC	S-AWC
ENGINE TYPE	2.0 L MIVEC I-4	2.0 L MIVEC I-4	2.0 L MIVEC I-4	2.0 L MIVEC I-4
ENGINE CODE	4B11	4B11	4B11	4B11
VALVE TRAIN	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC)	1,998 cc	1,998 cc	1,998 cc	1,998 cc
BORE X STROKE (MM)	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm
COMPRESSION RATIO	10.5:1	10.5:1	10.5:1	10.5:1

HORSEPOWER @ RPM	117 hp @ 4,500 rpm	117 hp @ 4,500 rpm	117 hp @ 4,500 rpm	117 hp @ 4,500 rpm
TORQUE @ RPM (LB.-FT.)	137 lb.-ft. @ 4,500 rpm	137 lb.-ft. @ 4,500 rpm	137 lb.-ft. @ 4,500 rpm	137 lb.-ft. @ 4,500 rpm
AIR INTAKE SYSTEM	Conventional	Conventional	Conventional	Conventional
ENGINE BLOCK	Aluminum	Aluminum	Aluminum	Aluminum
CYLINDER HEADS	Aluminum	Aluminum	Aluminum	Aluminum
FUEL SYSTEM	MPI	MPI	MPI	MPI
EMISSIONS	TZEV	TZEV	TZEV	TZEV
RECOMMENDED FUEL	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded
ENGINE OIL TYPE	0W-20	0W-20	0W-20	0W-20
ENGINE OIL CAPACITY (L/QT.)	4.3 L / 4.5 qt.	4.3 L / 4.5 qt.	4.3 L / 4.5 qt.	4.3 L / 4.5 qt.

ELECTRIC MOTORS

MOTOR TYPE	Twin - AC synchronous permanent magnetic motor	Twin - AC synchronous permanent magnetic motor	Twin - AC synchronous permanent magnetic motor	Twin - AC synchronous permanent magnetic motor
MOTOR POWER OUTPUT (HP) - FRONT	80 hp	80 hp	80 hp	80 hp
MOTOR TORQUE OUTPUT (LB.-FT.) - FRONT	101 lb.-ft.	101 lb.-ft.	101 lb.-ft.	101 lb.-ft.
MOTOR POWER OUTPUT (HP) - REAR	80 hp	80 hp	80 hp	80 hp
MOTOR TORQUE OUTPUT (LB.-FT.) - REAR	144 lb.-ft.	144 lb.-ft.	144 lb.-ft.	144 lb.-ft.

TRANSAXLE

FRONT	Single speed, drive mode switchable reduction gear box	Single speed, drive mode switchable reduction gear box	Single speed, drive mode switchable reduction gear box	Single speed, drive mode switchable reduction gear box
REAR	Single speed, fixed reduction gear box	Single speed, fixed reduction gear box	Single speed, fixed reduction gear box	Single speed, fixed reduction gear box

SUSPENSION

FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
REAR	Multi-link	Multi-link	Multi-link	Multi-link
FRONT STABILIZER BAR	Standard	Standard	Standard	Standard
REAR STABILIZER BAR	Standard	Standard	Standard	Standard

MAIN DRIVE BATTERY

MAIN DRIVE BATTERY CHEMISTRY	12.0 kWh Lithium-ion (Li-ion)	12.0 kWh Lithium-ion (Li-ion)	12.0 kWh Lithium-ion (Li-ion)	12.0 kWh Lithium-ion (Li-ion)
VOLTAGE (V)	300-Volt	300-Volt	300-Volt	300-Volt
COOLING SYSTEM (FORCED AIR VENTILATION)	Standard	Standard	Standard	Standard
CHARGING TIME: 120V / 8A	13.0 hours	13.0 hours	13.0 hours	13.0 hours
CHARGING TIME: 120V /12A	8.0 hours	8.0 hours	8.0 hours	8.0 hours
CHARGING TIME: 240V /16A EVSE	3.5 hours	3.5 hours	3.5 hours	3.5 hours
CHARGING TIME: CHADEMO QUICK CHARGER (UP TO 80%)	25 minutes	25 minutes	25 minutes	25 minutes
BATTERY HEATER FOR COLD WEATHER	Standard	Standard	Standard	Standard

EV BATTERY RANGE	35 km	35 km	35 km	35 km
KW-HRS. PER 100 KILOMETRES	27.7	27.7	27.7	27.7
TOTAL RANGE	499 km	499 km	499 km	499 km

EXTERIOR DIMENSIONS

WHEELBASE (MM/IN.)	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.
LENGTH (MM/IN.)	4,695 mm / 184.8 in.	4,695 mm / 184.8 in.	4,695 mm / 184.8 in.	4,695 mm / 184.8 in.
WIDTH (MM/IN.)	1,800 mm / 70.9 in.	1,800 mm / 70.9 in.	1,800 mm / 70.9 in.	1,800 mm / 70.9 in.
HEIGHT (MM/IN.)	1,710 mm / 67.3 in.	1,710 mm / 67.3 in.	1,710 mm / 67.3 in.	1,710 mm / 67.3 in.
TRACK, FRONT (MM/IN.)	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.
TRACK, REAR (MM/IN.)	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.
MINIMUM GROUND CLEARANCE (MM/IN.)	190 mm / 7.5 in. without exhaust pipe protector, 185 mm / 7.3 in. with exhaust pipe protector	190 mm / 7.5 in. without exhaust pipe protector, 185 mm / 7.3 in. with exhaust pipe protector	190 mm / 7.5 in. without exhaust pipe protector, 185 mm / 7.3 in. with exhaust pipe protector	190 mm / 7.5 in. without exhaust pipe protector, 185 mm / 7.3 in. with exhaust pipe protector

INTERIOR DIMENSIONS

PASSENGER SEATING CAPACITY	5	5	5	5
PASSENGER VOLUME (L/CU. FT.)	2,891 L / 102.1 cu. ft.	2,891 L / 102.1 cu. ft.	2,891 L / 102.1 cu. ft.	2,891 L / 102.1 cu. ft.
PASSENGER VOLUME WITH SUNROOF (L/CU. FT.)	2,860 L / 101.0 cu. ft.	2,860 L / 101.0 cu. ft.	2,860 L / 101.0 cu. ft.	2,860 L / 101.0 cu. ft.
CARGO AREA (BEHIND FRONT SEAT) (L/CU. FT.)	1,885.9 L / 66.6 cu. ft.	1,885.9 L / 66.6 cu. ft.	1,885.9 L / 66.6 cu. ft.	1,885.9 L / 66.6 cu. ft.

**CARGO AREA
(BEHIND REAR
SEAT) (L/CU. FT.)**

860.8 L / 30.4 cu. ft.

860.8 L / 30.4 cu. ft.

860.8 L / 30.4 cu. ft.

860.8 L / 30.4 cu. ft.

PASSENGER SPACE**FRONT HEAD
ROOM WITH
SUNROOF
(MM/IN.)**

1,013.5 mm / 39.9 in.

1,013.5 mm / 39.9 in.

1,013.5 mm / 39.9 in.

1,013.5 mm / 39.9 in.

**FRONT SHOULDER
ROOM (MM/IN.)**

1,432.1 mm / 56.4 in.

1,432.1 mm / 56.4 in.

1,432.1 mm / 56.4 in.

1,432.1 mm / 56.4 in.

**FRONT HIP ROOM
(MM/IN.)**

1,335.9 mm / 52.6 in.

1,335.9 mm / 52.6 in.

1,335.9 mm / 52.6 in.

1,335.9 mm / 52.6 in.

**FRONT LEG
ROOM (MM/IN.)**

1,039 mm / 40.9 in.

1,039 mm / 40.9 in.

1,039 mm / 40.9 in.

1,039 mm / 40.9 in.

**REAR HEAD
ROOM WITH
SUNROOF
(MM/IN.)**

967.7 mm / 38.1 in.

967.7 mm / 38.1 in.

967.7 mm / 38.1 in.

967.7 mm / 38.1 in.

**REAR SHOULDER
ROOM (MM/IN.)**

1,423.4 mm / 56.0 in.

1,423.4 mm / 56.0 in.

1,423.4 mm / 56.0 in.

1,423.4 mm / 56.0 in.

**REAR HIP ROOM
(MM/IN.)**

1,317.8 mm / 51.9 in.

1,317.8 mm / 51.9 in.

1,317.8 mm / 51.9 in.

1,317.8 mm / 51.9 in.

**REAR LEG ROOM
(MM/IN.)**

962.7 mm / 37.9 in.

962.7 mm / 37.9 in.

962.7 mm / 37.9 in.

962.7 mm / 37.9 in.

WEIGHTS**GVWR (KG/LBS.)**

2,370 kg / 5,225 lbs.

2,370 kg / 5,225 lbs.

2,370 kg / 5,225 lbs.

2,370 kg / 5,225 lbs.

**CURB WEIGHT
(KG/LBS.)**

1,895 kg / 4,178 lbs.

1,895 kg / 4,178 lbs.

1,895 kg / 4,178 lbs.

1,895 kg / 4,178 lbs.

**WEIGHT
DISTRIBUTION (%
FRONT/REAR) @
CURB WEIGHT**

54 / 46

54 / 46

54 / 46

54 / 46

**TOWING
CAPACITY (KG /
LBS)**

680 kg / 1,500 lbs.

680 kg / 1,500 lbs.

680 kg / 1,500 lbs.

680 kg / 1,500 lbs.

MAXIMUM TRAILER TONGUE LOAD (KG / LBS)

68 kg / 150 lbs.

68 kg / 150 lbs.

68 kg / 150 lbs.

68 kg / 150 lbs.

STEERING

TYPE	Electric Power, Rack-and-pinion	Electric Power, Rack-and-pinion	Electric Power, Rack-and-pinion	Electric Power, Rack-and-pinion
TURNING CIRCLE - CURB TO CURB (M/FT.)	10.9 m / 35.6 ft.	10.9 m / 35.6 ft.	10.9 m / 35.6 ft.	10.9 m / 35.6 ft.
TURNS - LOCK TO LOCK	2.9	2.9	2.9	2.9

BRAKES

FRONT BRAKE TYPE	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
FRONT BRAKE DIAMETER (MM/IN.)	294 mm / 11.6 in.	294 mm / 11.6 in.	294 mm / 11.6 in.	294 mm / 11.6 in.
REAR BRAKE TYPE	Solid disc	Solid disc	Solid disc	Solid disc
REAR BRAKE DIAMETER (MM/IN.)	302 mm / 11.9 in.	302 mm / 11.9 in.	302 mm / 11.9 in.	302 mm / 11.9 in.
ANTI-LOCK BRAKING SYSTEM	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD

FUEL CAPACITY

FUEL TANK CAPACITY (L/GAL.)	43 L / 11.3 gal.	43 L / 11.3 gal.	43 L / 11.3 gal.	43 L / 11.3 gal.
------------------------------------	------------------	------------------	------------------	------------------

ESTIMATED ENERGY/FUEL CONSUMPTION

**ELECTRIC
(GASOLINE)
LE/100KM
(L/100KM)**

CITY	3.0 (9.4)	3.0 (9.4)	3.0 (9.4)	3.0 (9.4)
HIGHWAY	3.4 (9.0)	3.4 (9.0)	3.4 (9.0)	3.4 (9.0)
COMBINED	3.2 (9.2)	3.2 (9.2)	3.2 (9.2)	3.2 (9.2)

WHEELS & TIRES

WHEEL TYPE	18x7J Aluminum alloy	18x7J Aluminum alloy	18x7J Aluminum alloy	18x7J Aluminum alloy
WHEEL SIZE (OPTIONAL)	18 in.	18 in.	18 in.	18 in.
TIRE SIZE (OPTIONAL)	P225/55R18	P225/55R18	P225/55R18	P225/55R18

WARRANTIES

BASIC	5 years or 100,000 kms	5 years or 100,000 kms	5 years or 100,000 kms	5 years or 100,000 kms
POWERTRAIN	10 years or 160,000 kms	10 years or 160,000 kms	10 years or 160,000 kms	10 years or 160,000 kms
MAIN DRIVE BATTERY	10 years or 160,000 kms	10 years or 160,000 kms	10 years or 160,000 kms	10 years or 160,000 kms
ROADSIDE	5 years or unlimited kms	5 years or unlimited kms	5 years or unlimited kms	5 years or unlimited kms