

	ES 5MT	ES CVT	GT
SAFETY			
DUAL FRONT AIRBAGS	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD	STD
FRONT-SEAT MOUNTED SIDE-IMPACT AIRBAGS	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD
LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD

HILL START ASSIST	STD	STD	STD
-------------------	-----	-----	-----

PERFORMANCE

1.2 L DOHC MIVEC 3 CYLINDER ENGINE	STD	STD	STD
5-SPEED MANUAL TRANSMISSION	STD	-	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	STD	STD
FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION	STD	STD	STD
FRONT STABILIZER BAR	STD	STD	STD
VENTILATED FRONT DISC AND REAR DRUM BRAKES	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD

EXTERIOR

14" STEEL WHEELS WITH WHEELCOVERS	STD	STD	-
15" ALLOY WHEELS	-	-	STD
P165/65 R14 ALL-SEASON TIRES	STD	STD	-
P175/55 R15 ALL-SEASON TIRES	-	-	STD
SPACE SAVER TEMPORARY TIRE	STD	STD	STD
AUTO-OFF HALOGEN HEADLAMPS	STD	STD	STD
FRONT FOG LAMPS	-	-	STD
FOLDING POWER SIDE-VIEW MIRRORS	STD	STD	-
HEATED AND FOLDING POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	-	-	STD

BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE HANDLE	STD	STD	STD
SIDE MARKER LAMPS	STD	STD	-
GREEN LAMINATED WINDSHIELD	STD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD	STD
ROOF MOUNT ANTENNA - SHORT	STD	STD	STD
REAR WINDOW DEFROSTER WITH TIMER	STD	STD	STD
WHEEL LOCKS	-	-	ACC
FINISHER, EXHAUST, BRIGHT	ACC	ACC	ACC
FOG LAMP KIT	ACC	ACC	ACC
FRONT BUMPER GARNISH WITH LED DRL	ACC	ACC	ACC
FRONT AIR DAM	ACC	ACC	ACC
REAR AIR DAM	ACC	ACC	ACC
REAR LIP SPOILER	ACC	ACC	ACC
SIDE AIR DAMS	ACC	ACC	ACC
INTERIOR			
HEATED FRONT SEATS	-	-	STD
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING)	STD	STD	-
INTEGRATED DRIVER'S SEAT ARMREST	-	-	STD
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)	-	-	STD
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD	STD
FABRIC SEATING SURFACES	STD	STD	-

PREMIUM FABRIC SEATING SURFACES	-	-	STD
REAR SEAT ARMREST TRUNK PASS-THROUGH	STD	STD	STD
SEATBACK POCKET (PASSENGER SIDE)	STD	STD	STD
DRIVER AND FRONT PASSENGER SUN VISORS	STD	STD	STD
DRIVER'S SIDE VANITY MIRROR	STD	STD	STD
TRUNK LAMP	STD	STD	STD
RETRACTABLE ASSIST GRIPS (2)	STD	STD	STD
12V ACCESSORY OUTLET (1)	STD	STD	STD
FLOOR CENTRE CONSOLE CUP HOLDERS	STD	STD	STD
REAR CENTRE ARMREST WITH CUP HOLDERS	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD
URETHANE STEERING WHEEL	STD	STD	-
LEATHER-WRAPPED STEERING WHEEL	-	-	STD
STEERING WHEEL WITH PIANO BLACK AND CHROME ACCENTS	-	-	STD
URETHANE GEAR SHIFT KNOB	STD	STD	-
LEATHER-WRAPPED GEAR SHIFT KNOB	-	-	STD
URETHANE PARKING BRAKE LEVER	STD	STD	STD
PIANO BLACK SHIFTER TRIM PANEL	-	-	STD
METER WITH CHROME ACCENT	-	-	STD
MATERIAL BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	STD	STD	-
PIANO BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	-	-	STD

BLACK INTERIOR DOOR HANDLES	STD	STD	-
CHROME INTERIOR DOOR HANDLES	-	-	STD
FLOOR MATS	STD	STD	STD
CENTER CONSOLE ILLUMINATION KIT BLUE LED	ACC	ACC	ACC
FLOOR ILLUMINATION, BLUE LED	ACC	ACC	ACC
ALL-SEASON FLOOR GUARDS	ACC	ACC	ACC
SCUFF PLATES	ACC	ACC	ACC
CARGO MAT	ACC	ACC	ACC
CARGO NET	ACC	ACC	ACC
CARGO TRAY	ACC	ACC	ACC
ALL-WEATHER FLOOR MATS	ACC	ACC	ACC

COMFORT & CONVENIENCE

AUTOMATIC CLIMATE CONTROL	-	-	STD
MANUAL AIR CONDITIONING	STD	STD	-
MICRON AIR FILTRATION	STD	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD	STD
BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE	STD	STD	STD
USB INPUT (RELOCATED TO FRONT OF CENTRE CONSOLE)	STD	STD	STD
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY	STD	STD	STD
POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	STD	STD	STD
CRUISE CONTROL	-	-	STD

6.5" SMARTPHONE LINK DISPLAY AUDIO WITH 4 SPEAKERS FEATURING ANDROID AUTO™ AND APPLE CARPLAY	STD	STD	STD
REARVIEW CAMERA	STD	STD	STD
STEERING WHEEL-MOUNTED CRUISE AND AUDIO CONTROLS	-	-	STD
STEERING WHEEL-MOUNTED AUDIO CONTROLS	STD	STD	-
TILT AND HEIGHT ADJUSTABLE STEERING WHEEL	STD	STD	STD
RHEOSTAT	STD	STD	STD
SEMI HIGH-CONTRAST METERS	-	-	STD
MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD
"ECO" MODE INDICATOR (EQUIPPED ON CVT)	-	STD	STD
SEATBELT REMINDER LAMP	STD	STD	STD
REMOTE FUEL LID RELEASE	STD	STD	STD
WASHER FLUID LEVEL WARNING LAMP	STD	STD	STD

EXTERIOR COLOURS

STARLIGHT SILVER	STD	STD	STD
INFRARED	STD	STD	STD
SAPPHIRE BLUE	STD	STD	STD
TITANIUM GREY	STD	STD	STD
MYSTIC BLACK	OPT	OPT	OPT
PEARL WHITE	OPT	OPT	OPT

WINE RED

OPT

OPT

OPT

INTERIOR COLOURS

BLACK FABRIC

STD

STD

-

BLACK PREMIUM FABRIC

-

-

STD

ENGINE

ENGINE TYPE

1.2L I3

1.2L I3

1.2L I3

ENGINE CODE

3A92

3A92

3A92

VALVE TRAIN

DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)

DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)

DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)

DISPLACEMENT (CC/CU IN.)

1,193 cc / 72.8cu in.

1,193 cc / 72.8cu in.

1,193 cc / 72.8cu in.

BORE X STROKE (IN/MM.)

75.0 x 90.0 mm / 3.0 x 3.5 in

75.0 x 90.0 mm / 3.0 x 3.5 in

75.0 x 90.0 mm / 3.0 x 3.5 in

COMPRESSION RATIO

10.5:1

10.5:1

10.5:1

HORSEPOWER @ RPM (BHP)

78 hp @ 6,000 rpm

78 hp @ 6,000 rpm

78 hp @ 6,000 rpm

TORQUE @ RPM (LB-FT)

74 lb.-ft. @ 4,000 rpm

74 lb.-ft. @ 4,000 rpm

74 lb.-ft. @ 4,000 rpm

ENGINE BLOCK

Aluminum

Aluminum

Aluminum

CYLINDER HEADS

Aluminum

Aluminum

Aluminum

REDLINE RPM

6,500 rpm

6,500 rpm

6,500 rpm

FUEL SYSTEM

MPI

MPI

MPI

EMISSIONS

Tier 3 bin 70

Tier 3 bin 70

Tier 3 bin 70

RECOMMENDED FUEL

Regular Unleaded, octane number 87 or RON 91

Regular Unleaded, octane number 87 or RON 91

Regular Unleaded, octane number 87 or RON 91

TRANSMISSION

TYPE	5-speed manual	-	-
MANUAL RATIOS			
1ST	3.545	-	-
2ND	1.913	-	-
3RD	1.310	-	-
4TH	0.973	-	-
5TH	0.804	-	-
REVERSE	3.214	-	-
FINAL DRIVE	4.055	-	-
TYPE	-	CVT with INVEC-III	CVT with INVEC-III
CVT RATIOS	-	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550
REVERSE	-	3.771	3.771
FINAL DRIVE	-	3.757	3.757

SUSPENSION

FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut
REAR	Torsion Beam	Torsion Beam	Torsion Beam

EXTERIOR DIMENSIONS

WHEELBASE (MM/IN.)	2,550 mm / 100.4 in.	2,550 mm / 100.4 in.	2,550 mm / 100.4 in.
LENGTH (MM/IN.)	4,305 mm / 169.5 in.	4,305 mm / 169.5 in.	4,305 mm / 169.5 in.
WIDTH (MM/IN.)	1,670 mm / 65.7 in.	1,670 mm / 65.7 in.	1,670 mm / 65.7 in.
HEIGHT (MM/IN.)	1,505 mm / 59.2 in.	1,505 mm / 59.2 in.	1,505 mm / 59.2 in.

TRACK, FRONT (MM/IN.)	1,445 mm / 56.9 in.	1,445 mm / 56.9 in.	1,445 mm / 56.9 in.
TRACK, REAR (MM/IN.)	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.
MIN. GROUND CLEARANCE (MM/IN.)	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.

INTERIOR DIMENSIONS

PASSENGER SEATING CAPACITY	5	5	5
INTERIOR VOLUME (L/CU. FT.)	2,882 L / 101.8 cu ft	2,882 L / 101.8 cu ft	2,882 L / 101.8 cu ft
PASSENGER VOLUME (L/CU. FT.)	2,534 L / 89.5 cu ft	2,534 L / 89.5 cu ft	2,534 L / 89.5 cu ft
CARGO VOLUME (L/CU. FT.)	348 L / 12.3 cu ft	348 L / 12.3 cu ft	348 L / 12.3 cu ft

PASSENGER SPACE

FRONT HEAD ROOM (MM/IN.)	992 mm / 39.1 in.	992 mm / 39.1 in.	992 mm / 39.1 in.
FRONT SHOULDER ROOM (MM/IN.)	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.
FRONT HIP ROOM (MM/IN.)	1,240 mm / 48.8 in.	1,240 mm / 48.8 in.	1,240 mm / 48.8 in.
FRONT LEG ROOM (MM/IN.)	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.
REAR HEAD ROOM (MM/IN.)	936 mm / 36.9 in.	936 mm / 36.9 in.	936 mm / 36.9 in.
REAR SHOULDER ROOM (MM/IN.)	1,300 mm / 51.2 in.	1,300 mm / 51.2 in.	1,300 mm / 51.2 in.
REAR HIP ROOM (MM/IN.)	1,224 mm / 48.2 in.	1,224 mm / 48.2 in.	1,224 mm / 48.2 in.
REAR LEG ROOM (MM/IN.)	944 mm / 37.2 in.	944 mm / 37.2 in.	944 mm / 37.2 in.

WEIGHTS

GVWR (KG/LBS) - MT	1,385 kg / 3,053 lbs	-	-
GVWR (KG/LBS) - CVT	-	1,410 kg / 3,108 lbs	1,410 kg / 3,108 lbs
CURB WEIGHT (KG/LBS) - MT	950 kg / 2,095 lbs	-	-

CURB WEIGHT (KG/LBS) - CVT	-	975 kg / 2,150 lbs	995 kg / 2,194 lbs
-----------------------------------	---	--------------------	--------------------

STEERING

TYPE	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist
RATIO	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev
TURN CIRCLE - CURB TO CURB (M/FT)	9.6 m / 31.5 ft	9.6 m / 31.5 ft	9.6 m / 31.5 ft

BRAKES

FRONT BRAKE TYPE	Ventilated Disc	Ventilated Disc	Ventilated Disc
ANTI-LOCK BRAKES	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD

FUEL CAPACITY

FUEL TANK CAPACITY (L/GAL.)	35 L / 7.7 gal.	35 L / 7.7 gal.	35 L / 7.7 gal.
------------------------------------	-----------------	-----------------	-----------------

ESTIMATED FUEL CONSUMPTION

5MT - CITY (L/100 KM)	7.2 L/100 km	-	-
5MT - HIGHWAY (L/100 KM)	5.9 L/100 km	-	-
5MT - COMBINED (L/100 KM)	6.6 L/100 km	-	-
CVT - CITY (L/100 KM)	-	6.9 L/100 km	6.9 L/100 km
CVT - HIGHWAY (L/100 KM)	-	5.7 L/100 km	5.7 L/100 km
CVT - COMBINED (L/100 KM)	-	6.4 L/100 km	6.4 L/100 km

WHEELS & TIRES

WHEEL TYPE	Steel	Steel	Aluminum alloy
-------------------	-------	-------	----------------

WHEEL SIZE	14 in.	14 in.	15 in.
TIRE SIZE	P165/65R14	P165/65R14	P175/55R15
TIRE TYPE	All-season	All-season	All-season
SPARE TIRE	T115/70D14	T115/70D14	T115/70D14

WARRANTIES

BASIC	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms
POWERTRAIN	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms
ROADSIDE	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km