

					FEF	41 OF	KE2
SAFETY	ES FWD	ES AWC	SE FWD	SE AWC	SEL AWC	LE AWC	GT AWC
MITSUBISHI STANDARD SAFETY FEATURES:		7		7			
DUAL FRONT AIRBAGS							- 1
SIDE-IMPACT CURTAIN AIRBAGS (FRONT & REAR)							- 1
FRONT SEAT-MOUNTED SIDE-IMPACT AIRBAGS							- 1
DRIVER'S KNEE AIRBAG							- 1
ANTI-LOCK BRAKING SYSTEM (ABS)							- 1
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)							- 1
ACTIVE STABILITY CONTROL (ASC)							- 1
TRACTION CONTROL LOGIC (TCL)							- 1
BRAKE OVERRIDE SYSTEM (BOS)							- 1
BRAKE ASSIST SYSTEM (BAS)							- 1
ANTI-THEFT ENGINE IMMOBILIZER				_			- 1
ANTI-THEFT SECURITY ALARM SYSTEM				S			- 1
LATCH SYSTEM (LOWER ANCHORS & TETHERS FOR CHILD RESTRAINT SEATS)							- 1
REAR DOOR CHILD SAFETY LOCKS							- 1
3-POINT SEATBELTS FOR ALL SEATING POSITIONS							- 1
HEIGHT ADJUSTABLE FRONT SEATBELTS							- 1
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS							- 1
HEIGHT ADJUSTABLE FRONT HEAD RESTRAINTS							- 1
RISE BODY CONSTRUCTION							- 1
REAR CENTRE HIGH MOUNT STOP LAMP							- 1
LED DAYTIME RUNNING LAMPS							- 1
TIRE PRESSURE MONITORING SYSTEM (TPMS)							- 1
• HILL START ASSIST							- 1
LANE DEPARTURE WARNING (LDW)	-	-	-	-	-	-	S
FORWARD COLLISION MITIGATION (FCM)	-	-	-	-	-	-	S
BLIND SPOT WARNING (BSW)	-	-	S	S	S	S	S
REAR CROSS TRAFFIC ALERT (RCTA)			S	S	S	S	S
PERFORMANCE	ES FWD	ES AWC	SE FWD	SE AWC	SEL AWC	LE AWC	GT AWC
2.0 L DOHC MIVEC 4 CYLINDER ENGINE	S	S	S	-	-	-	-
2.4 L DOHC MIVEC 4 CYLINDER ENGINE	-	-	-	S	S	S	S
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	S	S	S	S	S	S	S
PADDLE SHIFTERS	-	-	-	-	-	S	S
ALL-WHEEL CONTROL (AWC) WITH DRIVE MODE SELECTOR (2WD/4WD AUTO/4WD LOCK)	-	S	-	S	S	S	S
FRONT MACPHERSON STRUT & REAR MULTI-LINK SUSPENSION	S	S	S	S	S	S	S
FRONT & REAR STABILIZER BAR	S	S	S	S	S	S	S
VENTILATED FRONT DISC & SOLID REAR DISC BRAKES	S	S	S	S	S	S	S
ELECTRIC POWER-ASSISTED RACK & PINION STEERING	S	S	S	S	S	S	S
EXTERIOR	ES FWD	ES AWC	SE FWD	SE AWC	SEL AWC	LE AWC	GT AWC
16" STEEL WHEELS WITH WHEELCOVERS	S	S	-	-	-	-	-
	_	1	_	_			_
16" ALLOY WHEELS	-	-	S	S	_	_	
16" ALLOY WHEELS 18" ALLOY WHEELS	-	-	-	-	- S	-	S
		- - -	- -	- -			



					. –,	\	`
EXTERIOR (CONTINUED)	ES FWD	ES AWC	SE FWD	SE AWC	SEL	LE AWC	GT AWC
P225/55 R18 ALL-SEASON TIRES	-	-	-	-	S	S	S
SPACE SAVER TEMPORARY TIRE	S	S	S	S	S	S	S
FRONT & REAR BLACK SKID PLATE STYLING	S	S	S	S	S	S	S
BLACK AND SILVER GRILLE	S	S	S	S	S	-	-
GLOSS BLACK AND SATIN CHROME GRILLE	-	-	-	-	-	-	S
BLACK GRILLE	-	-	-	-	-	S	-
BLACK WHEEL ARCH MOULDINGS	S	S	S	S	S	S	S
AUTO LED HEADLAMPS	S	S	S	S	S	S	S
AUTO LED HIGH BEAMS	-	-	-	-	-	-	S
LED FRONT FOG LAMPS	-	-	S	S	S	S	S
HEATED POWER SIDE-VIEW MIRRORS	S	S	-	-	-	-	-
HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	-	-	S	S	S	S	-
HEATED & POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	-	-	-	-	-	-	S
BODY-COLOUR SIDE-VIEW MIRRORS & DOOR HANDLES	S	S	S	S	S	-	S
BLACK SIDE-VIEW MIRRORS & BODY-COLOUR DOOR HANDLES	-	-	-	-	-	S	-
CHROME BELTLINE ACCENT	-	-	-	-	-	-	S
BLACK FENDER GARNISH	S	S	-	-	-	-	-
CHROME FENDER GARNISH	-	-	S	S	S	S	S
SIDE MARKER LAMPS	S	S	-	-	-	-	-
VARIABLE INTERMITTENT WINDSHIELD WIPERS & WASHER	S	S	S	S	S	S	S
ROOF MOUNT ANTENNA (SHARK FIN TYPE)	S	S	S	S	S	S	S
BLACK ROOF RAILS	-	-	-	-	S	S	S
PANORAMIC FIXED GLASS SUNROOF WITH SUNSHADE & LED LIGHTING	-	-	-	-	-	-	S
REAR WINDOW DEFROSTER WITH TIMER, INTERMITTENT WIPER & WASHER	S	S	S	S	S	S	S
REAR PRIVACY GLASS	-	-	S	S	S	S	S
LED REAR COMBINATION LAMPS	S	S	S	S	S	S	S
REAR SPOILER	S	S	S	S	S	-	S
LARGE REAR SPOILER	-	-	-	-	-	S	-
"LIMITED EDITION" BADGE	-	-	-	-	-	S	-
INTERIOR	ES	ES	SE	SE	SEL	LE	GT
INTERIOR	FWD	AWC	FWD	AWC	AWC	AWC	AWC
HEATED FRONT SEATS	S	S	S	S	S	S	S
6-WAY MANUAL ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING & HEIGHT ADJUSTABLE)	S	S	S	S	S	S	-
6-WAY POWER DRIVER'S SEAT (SLIDING, RECLINING & HEIGHT ADJUSTABLE)	-	-	-	-	-	-	S
4-WAY MANUAL ADJUSTABLE FRONT PASSENGER SEAT (SLIDING, RECLINING)	S	S	S	S	S	S	S
60/40 SPLIT FOLDING REAR SEAT	S	S	S	S	S	S	S
FABRIC-APPOINTED SEATS WITH CONTRAST STITCHING	S	S	S	-	-	-	-
PREMIUM FABRIC-APPOINTED SEATS WITH CONTRAST STITCHING	-	-	-	S	-	-	-
FAUX SUEDE-APPOINTED SEATS	-	-	-	-	S	S	-
LEATHER-APPOINTED SEATS WITH CONTRAST STITCHING	-	-	-	-	-	-	S
BLACK HEADLINER	-	_	_	-	_	S	S
FRONT SEATBACK POCKET (DRIVER SIDE)	S	S	S	S	S	S	S
DRIVER & FRONT PASSENGER SUN VISORS WITH VANITY MIRRORS	S	S	S	S	_	_	
DRIVER & FRONT PASSENGER SUN VISORS WITH VAINTY MIRRORS	-				S	S	S
AUTO-DIMMING REARVIEW MIRROR WITH HOMELINK	-		<u> </u>		٠.	ر ا	S
	S	S	 S	 S	 S	S	S
FRONT MAP LAMPS	_ >			_ 5	_ 3	_ 3	



					FE/	ATUF	RES
INTERIOR (CONTINUED)	ES FWD	ES AWC	SE FWD	SE AWC	SEL AWC	LE AWC	GT AWC
CABIN LAMP	S	S	S	S	S	S	-
CARGO LAMP	S	S	S	S	S	S	S
RETRACTABLE ASSIST GRIPS (4)	S	S	S	S	S	S	S
ALUMINUM PEDALS	-	-	-	-	-	S	- 1
12V ACCESSORY OUTLET (2)	S	S	S	S	S	S	S
FRONT USB INPUT (X2)	S	S	S	S	S	S	S
REAR USB INPUT (X2) - TYPE A & TYPE C	-	-	-	S	S	S	S
FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST & CUP HOLDERS FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST & CUP HOLDERS WITH RED	S -	S -	S -	S -	S -	- S	S -
REAR CENTRE ARMREST WITH CUP HOLDERS	S	S	S	S	S	S	S
	S	S	S	S	S	S	S
DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (2)	_	_			_		
CARGO TIE-DOWN UTILITY HOOKS (X4)	S	S	S	S	S	S	S
CARGO COVER	<u> </u>	-	-	-	-	-	S
REAR CARGO COMPARTMENTS	S	S	S	S	S	S	S
GLOVE BOX WITH ILLUMINATION	S	S	S	S	S	S	S
LEATHER-WRAPPED STEERING WHEEL	-	-	S	S	S	-	S
LEATHER-WRAPPED GEAR SHIFT KNOB	-	-	S	S	S	-	S
LEATHER-WRAPPED STEERING WHEEL & GEAR SHIFT KNOB WITH RED STITCHING	-	-	-	-	-	S	-
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	S	S	S	S	S	-	S
LEATHER-WRAPPED PARKING BRAKE LEVER WITH CHROME BUTTON AND RED STITCHING	-		-	-		S	-
SOFT-TOUCH INSTRUMENT PANEL	S	S	S	S	S	S	S
GLOSS BLACK AUDIO TRIM PANEL WITH SILVER ACCENTS	S	S	S	S	S	S	S
SILVER INTERIOR ACCENTS	S	S	S	S	S	S	S
BLACK INTERIOR DOOR HANDLES	S	S	-	-	-	-	-
CHROME PLATED INTERIOR DOOR HANDLES	-	-	S	S	S	S	S
SOFT PAD DOOR TRIM	S	S	S	S	S	S	S
FLOOR MATS	S	S	S	S	S	S	S
COMFORT & CONVENIENCE	ES FWD	ES AWC	SE FWD	SE AWC	SEL AWC	LE AWC	GT AWC
AUTOMATIC CLIMATE CONTROL	S	S	S	S	S	S	S
MICRON AIR FILTRATION	S	S	S	S	S	S	S
REAR HEATER FLOOR DUCTS	S	S	S	S	S	S	S
BLUETOOTH® HANDS-FREE CELLULAR PHONE INTERFACE	S	S	S	S	S	S	S
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY & PANIC ALARM	S	S	S	S	-	-	-
REMOTE ENGINE STARTER	-	-	-	-	-	S	S
FAST-KEY KEYLESS ENTRY WITH PUSH-BUTTON START & PANIC ALARM	-	-	-	-	S	S	S
POWER WINDOWS WITH AUTO-UP & DOWN DRIVER'S WINDOW	S	S	S	S	S	S	S
CRUISE CONTROL WITH STEERING WHEEL-MOUNTED CONTROLS	S	S	S	S	S	S	S
8" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTO TM & APPLE CARPLAY 710-WATT ROCKFORD FOSGATE® PUNCH® AUDIO SYSTEM WITH 9 SPEAKERS INCLUDING 10"	S -	S	S -	S -	S -	S -	S S
SUBWOOFER	S	S					\vdash
4 SPEAKERS 6 SPEAKERS	3		S	S	 S	S	\vdash
SIRIUSXM® SATELLITE RADIO WITH 3 MONTHS COMPLIMENTARY SERVICE		 S	S	S	S	S	S
	S	S	S	S	S	S	S
REARVIEW CAMERA	S	S	S	S	S	S	S
STEERING WHEEL-MOUNTED AUDIO CONTROLS	+ 3		3	3	S	S	S
HEATED STEERING WHEEL TILT & TELESCOPING STEERING WHEEL		 S	S	S	S	S	S
HIGH-CONTRAST SPEEDOMETER & TACHOMETER	S	S	S	S	S	S	S
MINITER A TACHOMETER	3					3	٥



COMFORT & CONVENIENCE (CONTINUED)	ES FWD	ES AWC		SE AWC			GT AWC
COLOUR MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP, LOW FUEL WARNING, LOW WINDSHIELD WASHER FLUID)	S	S	S	S	S	S	S
"ECO" MODE INDICATOR	S	S	S	S	S	S	S
ILLUMINATED IGNITION SWITCH (NOT AVAILABLE WITH FAST-KEY)	S	S	S	S	-	-	-
SEATBELT REMINDER LAMP	S	S	S	S	S	S	S
REMOTE FUEL LID RELEASE	S	S	S	S	S	S	S
RAIN-SENSING WINDSHIELD WIPERS	S	S	S	S	S	S	S

S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE - = NOT AVAILABLE A = DEALER INSTALLED OPTION



TECHNICAL AND MECHANICAL SPECIFICATIONS

ENGINE	ES FWD/ES AWC/SE FWD	SE AWC/SEL/LE/GT		
Drive Train	FWD/AWC	AWC		
Engine Type	2.0L MIVEC I-4	2.4L MIVEC I-4		
Engine Code	4B11	4B12		
Liigine code	4011	DOHC 16-valve		
Valve Train	Mitsubishi Innovative Valve	e-timing Electronic Control system (MIVEC)		
Displacement (cc)	1998	2360		
Bore x Stroke (mm)	86.0 x 86.0	88.0 x 97.0		
Compression Ratio	10.0:1	10.5:1		
Horsepower @ RPM	148 @ 6000	168 @ 6000		
Torque @ RPM (lb-ft.)	145 @ 4200	167 @ 4100		
Engine Block	Aluminum	Aluminum		
	Aluminum	Aluminum		
Cylinder Heads				
Redline RPM	6500	6500		
Fuel System		MPI		
Emissions		ER 3-BIN 70 (50S)		
Recommended Fuel		Regular Unleaded		
Engine Oil Type	ES FWD/ES AWC/SE FWD/SE	0W-20		
TRANSMISSION	AWC/SEL	LE/GT		
Туре	INVECS -III - CVT			
CVT Automatic Ratios		2.631 - 0.378		
1 st	-	2.631		
2 nd	-	1.440		
3 rd	-	1.165		
4 th	-	0.906		
5 th	-	0.680		
6 th	-	0.499		
Reverse		1.960		
Final Drive		6.026		
SUSPENSION	E	S/SE/SEL/LE/GT		
Front	<u> </u>	1acPherson Strut		
Fr. Stabilizer Bar Diameter (mm)		22		
Rear		Multi-link		
Rr. Stabilizer Bar Diameter (mm)		16		
EXTERIOR DIMENSIONS	ES FWD/ES AWC/SE FWD	SE AWC/SEL/LE/GT		
Wheelbase (in./mm)		105.1 (2670)		
Length (in./mm)	171.9 (4365)			
Width (in./mm)	71.3 (1810)			
Height (in./mm)	64.8 (1645)			
Track, Front (in./mm)	60.0 (1525)	60.6 (1540)		
Track, Rear (in./mm)	60.0 (1525)	60.6 (1540)		
Min. Ground Clearance (in./mm)		8.5 (215)		
	· · ·			



TECHNICAL AND MECHANICAL SPECIFICATIONS

	I ECITIVICAL AI	ID I IECHANICAE	JI ECII ICATIONS		
INTERIOR DIMENSIONS	ES	S/SE/SEL/LE/GT			
Passenger Seating Capacity	5				
Interior Volume (su. ft. /l.)	w/o Panoramic: 119.2 / 3375 (w/o subwoofer)				
Interior Volume (cu. ft./L)	w/ Panoramic: 115.6 / 3273 (w/ subwoofer)				
Daggangar Valuma (su. ft. (l.)	without Panoramic : 97.5 / 2761				
Passenger Volume (cu. ft./L)	w/ Panoramic : 95.6 / 2707				
Cargo Area (Behind Front Seat) (cu.	without Panoramic : 49.5 / 1402				
ft./L)	w/ Pan	oramic : 48.8 / 1382			
Cause Auga (Dahind Dany Cant) (av. ft (I)	without s	subwoofer : 21.7 / 614			
Cargo Area (Behind Rear Seat) (cu. ft./L)	w/ sub	owoofer : 20.1 / 569			
PASSENGER SPACE	ES	S/SE/SEL/LE/GT			
Front Head Room (in./mm) [w/ Pan. Roof]	39.4	/ 1000 [38.9 / 988]			
Front Shoulder Room (in./mm)		56.2 / 1427			
Front Hip Room (in./mm)		52.1 / 1324			
Front Leg Room (in./mm)		41.6 / 1056			
Rear Head Room (in./mm) [w/ Pan. Roof]	37.9 / 963 [36.8 / 934]				
Rear Shoulder Room (in./mm)	55.5 / 1410				
Rear Hip Room (in./mm)	51.6 / 1310				
Rear Leg Room (in./mm)		36.3 / 921			
WEIGHTS	ES FWD/SE FWD ES AWC SE AWC/SEL/L				
Drive Train	FWD	AWC	AWC		
GVWR (kg/lbs)	1970/4343	1970/4343	1970/4343		
Curb Weight (kg/lbs)	1415/3120	1480/3263	1495/3296		
Weight Distribution (% f/r)	60/40	59/41	59/41		
STEERING	ES	S/SE/SEL/LE/GT			
Туре	Telescopic, El	ectric Power Steering (EF	PS)		
Ratio		43.69 mm/rev			
Turn Circle – Curb to Curb (ft/m)	34.8 /10.6				
Turns – Lock to Lock		3.3 rev			
BRAKES	ES/SE/SEL/LE/GT				
Front Brake Type	Ventilated disc				
Front Brake Diameter (in/m)	11.6/294				
Rear Brake Type	Solid disc				
Rear Brake Diameter (in/m)		11.9/302			
ABS	4 sensor, 4 channel with Electro		Brake Assist System		
ELECTRICAL	ES/SE/SEL/LE/GT				
Battery	Group35 – 118/530 (RC/CCA)				
Alternator (Amps)		130A			



TECHNICAL AND MECHANICAL SPECIFICATIONS

TECHNICAE AND TRECHAMEAE STEEL TEATIONS						
FUEL CAPACITY	ES FWD/SE FV	WD	ES AWC/SE/SEL/LE/GT			
2WD Fuel Tank Capacity (gal/L)	16.6 / 63	-				
4WD Fuel Tank Capacity (gal/L)	-	-				
ESTIMATED FUEL CONSUMPTION	ES FWD/SE FWD	ES AWC	SE AWC/SEL/LE/GT			
Drive Train	CVT FWD	CVT AWC	CVT AWC			
City (L/100kms)	9.7	10.1	10.3			
Highway (L/100kms)	7.8	8.2	8.3			
Combined (L/100kms)	8.8	9.2	9.4			
WHEELS & TIRES	ES/SE		SEL/LE/GT			
Wheel Type	16x6.5J Steel w/Cover (ES)		18x7J Aluminum			
	16x6.5J Aluminu	16x6.5J Aluminum (SE)				
Offset (mm)	46	46				
Wheel Size	16 inch	16 inch				
Tire Size	P215/70R16	P215/70R16				
Spare Tire						
WARRANTIES						
Basic	5 years or 100,000 kilometers					
Powertrain	10 years or 160,000 kilometers					
Roadside	5years or unlimited kilometers					