



2025 OUTLANDER PHEV

FEATURES

Effective Date: 2024-07-02

Performance & Handling	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
2.4 L 4 Cylinder Engine	S	S	S	S	S	S	S
PHEV Twin Electric Motor System	S	S	S	S	S	S	S
1-Speed Transmission	S	S	S	S	S	S	S
Paddle Shifters (Regenerative Braking)	S	S	S	S	S	S	S
Innovative Pedal (One Pedal Driving)	S	S	S	S	S	S	S
Super All-Wheel Control (S-AWC) with Drive Mode Selector	S	S	S	S	S	S	S
Active Yaw Control (AYC)	S	S	S	S	S	S	S
Front MacPherson Strut & Rear Multi-Link Suspension	S	S	S	S	S	S	S
Front & Rear Stabilizer Bar	S	S	S	S	S	S	S
Ventilated Front & Rear Disc Brakes	S	S	S	S	S	S	S
Electric Power-Assisted Rack & Pinion Steering	S	S	S	S	S	S	S
120V/240V Charging Connector	S	S	S	S	S	S	S
DC Quick Charge Port	S	S	S	S	S	S	S
On-Board Charging System with 120V 12A Cable	S	S	S	S	S	S	S
Charger Lid Locking System	S	S	S	S	S	S	S

BOLD DENOTES NEW FOR THIS MODEL YEAR.
 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
 MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.
 © 2024 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 OUTLANDER PHEV

FEATURES

Effective Date: 2024-07-02

Safety	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Dual Front Airbags	S	S	S	S	S	S	S
Side-Impact Curtain Airbags (1st & 2nd Row)	S	S	S	S	S	S	S
Seat-Mounted Side-Impact Airbags (Front & 2nd Row)	S	S	S	S	S	S	S
Front Centre Airbag	S	S	S	S	S	S	S
Driver & Passenger Knee Airbags	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS)	S	S	S	S	S	S	S
Electronic Brake-Force Distribution (EBD)	S	S	S	S	S	S	S
Active Stability Control (ASC)	S	S	S	S	S	S	S
Traction Control Logic (TCL)	S	S	S	S	S	S	S
Brake Assist System (BAS)	S	S	S	S	S	S	S
Anti-Theft Engine Immobilizer	S	S	S	S	S	S	S
Anti-Theft Security Alarm System	S	S	S	S	S	S	S
LATCH System (Lower Anchors & Tethers for Child Restraint Seats)	S	S	S	S	S	S	S
Rear Door Child Safety Locks	S	S	S	S	S	S	S
Rear Seat Occupant Alert	S	S	S	S	S	S	S
3-Point Seatbelts for All Seating Positions	S	S	S	S	S	S	S
Height Adjustable Front Seatbelts	S	S	S	S	S	S	S
Front Seatbelt Pretensioners with Force Limiters	S	S	S	S	S	S	S
Height Adjustable Front Head Restraints	S	S	S	S	S	S	S
RISE Body Construction	S	S	S	S	S	S	S
Tire Pressure Monitoring System (TPMS) with Tire Fill Notification	S	S	S	S	S	S	S
Hill Start Assist	S	S	S	S	S	S	S
Hill Descent Control	S	S	S	S	S	S	S
Trailer Stability Assist	S	S	S	S	S	S	S
Lane Departure Warning (LDW)	S	S	S	S	S	S	S
Lane Departure Prevention (LDP)	-	-	-	-	S	S	S
Forward Collision Mitigation (FCM)	S	S	S	S	S	S	S
Rear Automatic Emergency Braking (Rear AEB)	S	S	S	S	S	S	S
Blind Spot Warning (BSW)	S	S	S	S	-	-	-
Active Blind Spot Assist (ABSA)	-	-	-	-	S	S	S
Rear Cross Traffic Alert (RCTA)	S	S	S	S	S	S	S
Adaptive Cruise Control (ACC)	S	S	S	S	-	-	-
Adaptive Cruise Control (ACC) with Stop & Go	-	-	-	-	S	S	S
Lane Keep Assist (LKA)	-	-	-	-	S	S	S
Traffic Sign Recognition (TSR)	-	-	-	-	S	S	S
Front Parking Sensors	-	-	-	-	S	S	S
Rear Parking Sensors	S	S	S	S	S	S	S
Driver Attention Alert (DAA)	S	S	S	S	S	S	S
Acoustic Vehicle Alerting System (AVAS)	S	S	S	S	S	S	S
High Voltage Cut-Off System	S	S	S	S	S	S	S

BOLD DENOTES NEW FOR THIS MODEL YEAR.

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2024 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 OUTLANDER PHEV

FEATURES

Effective Date: 2024-07-02

Exterior	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
18" Alloy Wheels	S	S	S	-	-	-	-
20" Two-Tone Alloy Wheels	-	-	-	S	S	S	-
20" Black-Painted Alloy Wheels	-	-	-	-	-	-	S
Black Wheel Lug Nuts with Locks	-	-	-	-	-	-	S
P235/60 R18 All-Season Tires	S	S	S	-	-	-	-
P255/45 R20 All-Season Tires	-	-	-	S	S	S	S
Tire Repair Kit	S	S	S	S	S	S	S
Front & Rear Material Black Skid Plate Styling	S	-	-	-	-	-	-
Front & Rear Silver Skid Plate Styling	-	S	S	S	S	S	-
Front & Rear Gloss Black Skid Plate Styling	-	-	-	-	-	-	S
Material Black Front/Rear Bumper Lower Garnish & Side Sills	S	S	S	S	-	-	-
Body-Colour Front/Rear Bumper Lower Garnish & Side Sills	-	-	-	-	S	S	S
Black Wheel Arch Mouldings	S	S	S	S	S	S	S
Black Grille (Gloss)	S	S	S	S	S	S	S
Silver Grille Accent	S	S	S	S	S	S	-
Black-Painted Dynamic Shield	-	-	-	-	-	-	S
Black Hood Emblem	-	-	-	-	-	-	S
LED Fog Lights	-	S	S	S	S	S	S
LED Daytime Running Lights	S	S	S	S	S	S	S
Auto LED Headlights	S	S	S	S	-	-	-
Auto High Grade LED Headlights	-	-	-	-	S	S	S
Headlight Washers	S	S	S	S	S	S	S
Auto LED High Beams	S	S	S	S	S	S	S
LED Rear Combination Lights	S	S	S	S	S	S	S
Body-Colour Side-View Mirrors & Door Handles	S	S	S	S	S	S	-
Black Side-View Mirrors & Body-Colour Door Handles	-	-	-	-	-	-	S
Heated Power Side-View Mirrors with Integrated Turn Signal Light	S	-	-	-	-	-	-
Heated & Power-Folding Side-View Mirrors with Integrated Turn Signal Light	-	S	S	S	S	S	S
Chrome Window Accent	S	S	S	S	S	S	-
Gloss Black Window Accent	-	-	-	-	-	-	S
Variable Intermittent Windshield Wipers & Washer	S	S	S	S	S	S	S
Windshield Wiper De-Icer	S	S	S	S	S	S	S
Rear Window Defroster with Intermittent Wiper	S	S	S	S	S	S	S
Rear Privacy Glass	S	S	S	S	S	S	S
Black Roof Rails	-	-	-	-	-	-	S
Silver Roof Rails	-	S	S	S	S	S	-
Power Panoramic Sunroof with Sunshade	-	S	S	S	S	S	S
Roof Mount Antenna	S	S	S	S	S	S	S
Rear Spoiler	S	S	S	S	S	S	-
Large Rear Spoiler	-	-	-	-	-	-	S
"NOIR" Badge	-	-	-	-	-	-	S

BOLD DENOTES NEW FOR THIS MODEL YEAR.

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2024 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 OUTLANDER PHEV

FEATURES

Effective Date: 2024-07-02

Interior	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
7 Passenger Seating (5+2)	S	S	S	S	S	S	S
Heated Front Seats	S	S	S	S	S	S	S
Heated 2nd Row Seats	-	-	-	S	S	S	S
6-Way Driver's Seat (Sliding, Reclining & Height Adjustable) with Power Lumbar	S	S	-	-	-	-	-
8-Way Power Driver's Seat (Sliding, Reclining, Height Adjustable, Tilt, Lumbar)	-	-	S	-	-	-	-
8-Way Power Driver's Seat (Sliding, Reclining, Height Adjustable, Tilt, Lumbar) with Key-Linked Memory for Seat and Exterior Mirrors	-	-	-	S	S	S	S
4-Way Front Passenger Seat (Sliding & Reclining)	S	S	S	-	-	-	-
4-Way Power Front Passenger Seat with Key-Linked Memory	-	-	-	S	S	S	S
40/20/40 Split Folding Sliding 2nd Row Seat	S	S	S	S	S	S	S
3rd Row Fold-Flat Seat	S	S	S	S	S	S	S
Fabric Seats	S	S	-	-	-	-	-
Microsuede/Synthetic Leather Seats	-	-	S	-	-	-	-
Leather-Appointed Seats	-	-	-	S	S	-	-
Semi-Aniline Leather-Appointed Seats	-	-	-	-	-	S	S
Grey Interior Stitch Accents	S	S	S	S	S	-	-
Orange Interior Stitch Accents	-	-	-	-	-	S	-
Silver and Black Interior Stitch Accents	-	-	-	-	-	-	S
Front Seat Massage Function	-	-	-	-	-	S	S
Black Headliner	-	-	-	-	-	S	S
Front Seatback Multi-Level Pockets (Driver and Passenger)	S	S	S	S	S	S	S
Driver & Front Passenger Sun Visors with Illuminated Vanity Mirrors	S	S	S	S	S	S	S
Front Map Lights	S	S	S	S	S	S	S
Cabin Light	S	S	S	S	S	S	S
Cargo Light	S	S	S	S	S	S	S
Interior Door Accent Lighting	-	-	-	-	S	S	S
Auto-Dimming Rearview Mirror	-	-	-	S	S	S	S
12V Accessory Outlet	S	S	S	S	S	S	S
1500-Watt Power Supply	S	S	S	S	S	S	S
Front USB Input - Type A & Type C	S	S	S	S	S	S	S
Rear USB Input - Type A & Type C	S	S	S	S	S	S	S
Rear Centre Armrest with Cup Holders	S	S	S	S	S	S	S
Leather-Wrapped Steering Wheel	S	S	S	S	S	S	S
Leather-Wrapped Gear Shift Knob	S	S	S	S	S	S	S
Gloss Black Shifter Panel	S	S	S	S	-	-	-
Genuine Aluminum Shifter Panel	-	-	-	-	S	S	-
Laser Etched Shifter Panel	-	-	-	-	-	-	S
Electric Parking Brake with Auto Hold	S	S	S	S	S	S	S
Retractable Assist Grips (4)	S	S	S	S	S	S	S
Silver Interior Door Handles	S	S	S	S	S	S	S
Door Trim Pocket with Integrated Bottle Holders (4)	S	S	S	S	S	S	S
Rear Door Pull-Up Sunshade	-	-	-	-	S	S	S
Floor Mats	S	S	S	S	S	S	S
Cargo Tie-Down Utility Hooks (X4)	S	S	S	S	S	S	S
Cargo Cover	S	S	S	S	S	S	S

BOLD DENOTES NEW FOR THIS MODEL YEAR.

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2024 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 OUTLANDER PHEV

FEATURES

Effective Date: 2024-07-02

Comfort & Convenience	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Dual-Zone Automatic Climate Control	S	-	-	-	-	-	-
3-Zone Automatic Climate Control	-	S	S	S	S	S	S
Micron Air Filtration	S	S	S	S	S	S	S
Rear Heater Ducts (Back Of Front Centre Console)	S	S	S	S	S	S	S
Bluetooth® Hands-Free Cellular Phone Interface	S	S	S	S	S	S	S
Smartphone Wireless Charger	-	S	S	S	S	S	S
Push-Button Start	S	S	S	S	S	S	S
Power Door Locks with Remote Keyless Entry	S	-	-	-	-	-	-
FAST-Key Keyless Entry	-	S	S	S	S	S	S
Power Windows with One-Touch Function (from All Windows)	S	S	S	S	S	S	S
8" Smartphone Link Display Audio	S	S	-	-	-	-	-
9" Smartphone Link Display Audio	-	-	S	S	S	S	S
6 Speakers	S	S	S	S	-	-	-
BOSE Premium Sound System with 9-Speakers	-	-	-	-	S	S	S
Android Auto™ & Apple CarPlay	S	S	-	-	-	-	-
Android Auto™ & Wireless Apple CarPlay	-	-	S	S	S	S	S
Embedded Navigation	-	-	S	S	S	S	S
SiriusXM® Satellite Radio with 3 Months Complimentary Service	S	S	S	S	S	S	S
Mitsubishi Connect with Trial Included (Mobile App Enrollment Required)	-	-	S	S	S	S	S
Rearview Camera	S	S	-	-	-	-	-
Multi View Camera System (MVCS) with Moving Object Detection	-	-	S	S	S	S	S
Steering Wheel-Mounted Audio Controls	S	S	S	S	S	S	S
Tilt & Telescoping Steering Wheel	S	S	S	S	S	S	S
Heated Steering Wheel	-	S	S	S	S	S	S
12.3" Full Digital Driver Display	S	S	S	S	S	S	S
10.8" Head-Up Display (HUD)	-	-	-	-	S	S	S
Hands-Free Power Liftgate with Adjustable Height	-	S	S	S	S	S	S
Reverse Auto-Tilt Door Mirrors	-	-	-	S	S	S	S
Rain-Sensing Windshield Wipers	-	-	-	S	S	S	S

S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE - = NOT AVAILABLE A = DEALER INSTALLED OPTION



2025 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

Engine	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Engine Type	2.4L 4 Cylinder						
Engine Code	4B12						
Valve Train	DOHC, 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)						
Displacement (cc)	2360						
Bore x Stroke (mm)	88.0 x 97.0						
Compression Ratio	11.8:0						
MAX. Power (HP @ RPM)	131 @ 5000						
MAX. Torque (lb.-ft. @ RPM)	144 @ 4300						
Engine Block	Aluminum						
Cylinder Heads	Aluminum						
Fuel System	Multipoint Injection						
Emissions	Tier 3 bin 30						
Recommended Fuel	Regular Unleaded						
Engine Oil Type	0W-20						
Electric Motor	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Type	Twin - AC synchronous permanent magnetic motor						
Motor Power Output (front/rear) (HP)	114 / 134						
Motor Power Output (total max POWER mode) (HP)	248						
Motor Torque Output (front/rear) (lb.-ft.)	188 / 144						
Motor Torque Output (total max POWER mode) (lb.-ft.)	332						
Main Drive Battery	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Chemistry	20 kWh Lithium-ion (Li-ion)						
Voltage	350-Volt						
Charging Time: 120V - 12A	approx 16.0 hours						
Charging time: 240V /15A EVSE	approx 6.5 hours						
Charging time: CHAdeMO quick charger (up to 80%)	approx 38 minutes						
Engine Charge time (up to 80% stationary)	94 minutes						
Drivetrain	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
All-Wheel Drive	Super All-Wheel Control (S-AWC)						
Transmission	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Front transaxle	Single speed, drive mode switchable reduction gear box						
Rear transaxle	Single speed, fixed reduction gear box						



2025 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

Suspension	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
Front	MacPherson Strut, Stabilizer							
Rear	Multi-link, Stabilizer							
Steering	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
Type	Telescopic, Electric Power Steering (EPS)							
Turn Circle - Curb to Curb (m / ft)	11.0 / 36.1							
Brakes	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
Front Brake Type	Ventilated disc							
Rear Brake Type	Ventilated disc							
Anti-Lock Brakes	4 sensor, 4 channel with EBD							
Regenerative Braking Innovative Pedal	Approx.0.2G (max deceleration) with Gradient correction function							
Wheels & Tires	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
Wheel Type	Aluminum Alloy							
Wheel Size	18 in.			20 in.				
Tire Size	P235 / 60R18			P255 / 45R20				
Tire Type	All-Season							
Tire Repair Kit	Standard							
Estimated Fuel Consumption	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
City/Highway/Combined (Gasoline only) (L / 100 km)	9.2 / 8.7 / 9.0							
Combined (Gas + Electric Combined) (Le / 100 km)	3.6							
EV Range (km)	61							
Total Driving Range (km)	687							
Weights & Capacities	ES	SE	LE	SEL	GT	GT PREM	GT NOIR	
Fuel Tank Capacity (L / imp gal)	56 / 12.3							
Tow Capacity (kg / lbs)	680 / 1500							
Passenger Seating Capacity	7							
Passenger Volume (L / cu ft)	3480 / 122.9						3350 / 118.3	
Cargo volume (behind 3rd Row Seat) (L / cu ft)	362 / 12.8							
Cargo volume (behind 2nd Row Seat) (L / cu ft)	872 / 30.8							
Cargo volume (behind front seat) (L / cu ft)	1832 / 64.7							
Gross Vehicle Weight Rating (GVWR) (kg / lbs)	2750 / 6063							
Curb Weight (kg / lbs)	2090 / 4607	2095 / 4618			2155 / 4751			
Weight Distribution (% front/rear)	53 / 47							



2025 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

Exterior Dimensions	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Wheelbase (mm / in)				2706 / 106.5			
Length (mm / in)				4710 / 185.4			
Width (mm / in)				2144 / 84.4			
Height (mm / in)	1740 / 68.5			1745 / 68.7			
Track - Front (mm / in)				1593 / 62.7			
Track - Rear (mm / in)				1600 / 63.0			
Min. Ground Clearance (mm / in)	197 / 7.8			201 / 7.9			
Interior Dimensions	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Front Head Room (mm / in)	1031 / 40.6			985 / 38.8			
2nd Row Head Room (mm / in)	993 / 39.1			951 / 37.4			
3rd Row Head Room (mm / in)			841 / 33.1				
Front Shoulder Room (mm / in)			1470 / 57.9				
2nd Row Shoulder Room (mm / in)			1420 / 55.9				
3rd Row Shoulder Room (mm / in)			1300 / 51.2				
Front Hip Room (mm / in)			1370 / 53.9				
2nd Row Hip Room (mm / in)			1354 / 53.3				
3rd Row Hip Room (mm / in)			1070 / 42.1				
Front Leg Room (mm / in)			1058 / 41.7				
2nd Row Leg Room (mm / in)			968 / 38.1				
3rd Row Leg Room (mm / in)			486 / 19.1				
Warranties	ES	SE	LE	SEL	GT	GT PREM	GT NOIR
Basic			5 years or 100,000 kilometers				
Powertrain			10 years or 160,000 kilometers				
Electric Drive Battery			10 years or 160,000 kilometers				
Roadside			5 years or unlimited kilometers				